This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problems Mailbox.





(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 13 December 2001 (13.12.2001)

PCT

(10) International Publication Number WO 01/94226 A1

(51) International Patent Classification7:

_ _

(21) International Application Number: PCT/US00/15566

(22) International Filing Date:

6 June 2000 (06.06.2000)

(25) Filing Language:

English

B65D 33/24

(26) Publication Language:

English

- (71) Applicant (for all designated States except US): THE GLAD PRODUCTS COMPANY [US/US]; 1221 Broadway, Oakland, CA 94612 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): SAVICKI, Alan, F., Sr. [US/US]; 577 Beaconsfield Avenue, Naperville, IL 60565 (US).
- (74) Agents: AUGUSTYN, John, M. et al.; Leydig, Voit & Mayer, Ltd., Suite 4900, Two Prudential Plaza, 180 North Stetson, 180 North Stetson, Chicago, IL 60601-6780 (US).


- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CLOSURE DEVICE



(57) Abstract: The closure device (121) includes interlocking fastening strips (130, 131). The closure device may include a slider (132) slidably disposed on the fastening strips for facilitating the occlusion and deocclusion of the fastening strips. The fastening strips (130, 131) include a first color for facilitating visual confirmation of occlusion of the fastening strips. The visible indication of occlusion will be observed from the top of the closure device (121). If the fastening strips are properly occluded, then the first color will not be visible by viewing the top of the closure device. The first color will be observed from the top of the closure device (121) when the bag is deoccluded.

11/94226 A1

10/049536 JC43 Rec'd PCT/PTO 0 5 FEB 2002

7/17/2

WO 01/94226

PCT/US00/15566

1

CLOSURE_DEVICE

FIELD OF THE INVENTION

The present invention relates generally to closure devices and, more particularly, a closure device providing visible confirmation of occlusion. The invention is particularly well suited for use on flexible storage containers, including plastic bags.

BACKGROUND OF THE INVENTION

The use of closure devices for fastening storage containers, including plastic bags, is generally known. Furthermore, the manufacture of closure devices made of plastic materials is generally known to those skilled in the art, as demonstrated by the numerous patents in this area.

20

25

30

5

10

A particularly well-known use for closure devices is in connection with flexible storage containers, such as plastic bags. In some instances, the closure device and the associated container are formed from thermoplastic materials, and the closure device and the sidewalls of the container are integrally formed by extrusion as, a single Alternatively, the closure device and sidewalls of the container may be formed as separate pieces and then connected by heat sealing or any other suitable connecting process. either event, such closure devices are particularly useful in providing a closure means for retaining matter within the bag.

WO 01/94226 PCT/US00/15566

2

Conventional closure devices typically utilize mating fastening strips or closure elements, which are used to selectively seal the bag. With such closure devices, however, it is often difficult to determine whether the fastening strips are fully occluded

The invention provides a closure device in combination 10 with visible confirmation of closure. In addition, the invention provides that visible confirmation can be observed from the top of the closure device.

SUMMARY OF THE INVENTION

15

The closure device includes interlocking fastening strips. The closure device may include a slider slidably disposed on the interlocking fastening strips for facilitating the occlusion and deocclusion of the fastening strips when moved towards first and second ends of the fastening strips.

In addition, the fastening strips have a visual indication of occlusion of the closure device. Thus a user will be able to visually confirm that the closure device has been properly occluded, not only while in the process of occluding the closure device, but also after the closure device has been occluded. The visible indication of occlusion will be observed from the top of the closure device. The closure elements have a first color and the flanges have a second color. If the fastening strips are



properly occluded the first color will not be visible by viewing the top of the closure device.

The present invention will become more readily apparent upon reading the following detailed description of exemplified embodiments and upon reference to the accompanying drawings herein.

BRIEF DESCRIPTION OF THE DRAWINGS

10

- Fig. 1 is a perspective view of a container according to the present invention in the form of a plastic bag;
 - Fig. 2 is a top view of the container in Fig. 1;

15

- Fig. 3 is a cross-sectional view of the fastening strips along line 3-3 in Fig. 2;
- Fig. 4 is a cross-sectional view of the fastening 20 strips along line 4-4 in Fig. 2;
 - Fig. 5 is a top view of the container in Fig 1 and illustrates an unoccluded portion in the fastening strips;
- Fig. 6 is a cross-sectional view of fastening strips;
 - Fig. 7 is a cross-sectional view of another embodiment of fastening strips;
- Fig. 8 is a cross-sectional view of another embodiment of fastening strips; and



Fig. 9 is a cross-sectional view of another embodiment of fastening strips.

DESCRIPTION OF THE EMBODIMENTS

5

Fig. 1 illustrates an embodiment of a container in the form of a plastic bag 120 having a sealable closure device 121. The bag 120 includes a first sidewall 122 and a second sidewall 123 joined at seams 124, 125 to define a compartment accessible through the open top end but sealable by means of the closure device 121.

The closure device 121 includes first and second fastening strips 130, 131 and a slider 132. The fastening strips 130, 131 and the slider 132 have a longitudinal X axis 102, a transverse Y axis 104 and a vertical Z axis 106. The transverse Y axis 104 is perpendicular to the longitudinal X axis 102. The vertical Z axis 106 is perpendicular to the longitudinal X axis 102 and the vertical Z axis 106 is perpendicular to the perpendicular to the transverse Y axis 104.

The first fastening strip 130 is attached to the first sidewall 122 near the top end of the bag 120. The second 25 fastening strip 131 is attached to the second sidewall 123 near the top end of the bag 120. The fastening strips 130, 131 are located across from and substantially parallel to each other and are configured to allow the fastening strips 130, 131 to be able to interlock. The slider 132 is mounted onto the fastening strips 130, 131 so that the slider 132 is restrained from being removed from the fastening strips 130, 131 but free to slide along the X axis 102. The slider 132





WO 01/94226 PCT/US00/15566

5

engages the fastening strips 130, 131 so that when the slider 132 moves in an occlusion direction 114, the fastening strips 130, 131 occlude and the bag 120 is sealed, and when the slider 132 moves in a deocclusion direction 116, the fastening strips 130, 131 deocclude or separate and the bag 120 is open.

Referring to Figs. 2-4, the first fastening strip 130 includes a first closure element 134 and the second fastening strip 131 includes a second closure element 136. The first closure element 134 has a first color. The second closure element 136 may have the first color, another color or no color. The first fastening strip 130 may include a flange 138 which extends inwardly toward the second fastening strip 131. The flange 138 may have a second color, another color or no color. The second fastening strip 131 may include a flange 139 which extends inwardly toward the first fastening strip 130. The flange 139 may have a second color, another color of no color.

20

10

15

In another embodiment, the flange may be part of the closure element as shown in Fig. 6, but the flange may have a color different than the closure element as noted above.

- 25 Figs. 3 and 4 show the fastening strips in the deoccluded and occluded positions and illustrate the color changes when viewed from the top of the fastening strips in the Z axis 106.
- 30 Fig. 3 shows the fastening strips 130, 131 in the deoccluded position. The fastening strips 130, 131 may be viewed from the top of the fastening strips in the Z axis 106

along lines of sight 150, 152, 154, 156. When the fastening strips 130, 131 are viewed along line of sight 150 or line of sight 156, the color of the flanges 138, 139 will be observed. If the fastening strips 130, 131 are viewed from above along line of sight 152 or line of sight 154, the color of the closure elements 134, 136 will be observed.

Fig. 4 shows the fastening strips 130, 131 in the occluded position. Lines of sight 160, 162 illustrate how the fastening strips 130, 131 may be viewed from the top of 10 the fastening strips in the Z axis 106. When the fastening strips 130, 131 are viewed along line of sight 160 or line of sight 162, only the color of the flanges 138, 139 will be In addition, when the fastening strips 130, 131 observed. are fully occluded, the color of the closure elements 134, 136 will not be observed. If the color of the closure 136 are observed from above, then this elements 134, situation is a visual indication that the fastening strips 130, 131 are partially deoccluded as shown in Fig 5.

20

25

30

15

the container 5 shows a top view of illustrates the slider 132 moved in the occlusion direction. The fastening strips 130, 131 are not fully occluded, and contain a deoccluded portion 170 wherein the fastening strips 130, 131 are partially deoccluded. A partial cross-section of the fastening strips 130, 131 through the deoccluded portion 170 would be similar to Fig. 3. When the deoccluded portion 170 is viewed from above, the color of the closure elements 134, 136 will be observed, indicating that the fastening strips 130, 131 are partially deoccluded.



The color of the closure elements 134, 136 and the flanges 138, 139 may be varied in several ways. In a first example, the closure elements 134, 136 may be a first color and the flanges 138, 139 may be a second color.

5.

10

20

25


30

In a second example, the closure elements 134, 136 may be a first color and the flanges 138, 139 may be a translucent second color. When viewed from the top of the closure device, the second color may visually combine with the first color to create a third color. For example, the first color may be yellow and the second color may be translucent blue and the third color may be green.

In a third example, the closure element 134 may be a 15 first color, the closure element 136 may be a second color and the flanges 138, 139 may be a third color.

In a fourth example, the closure element 134 may be a first color, the closure element 136 may be a second color, the flange 138 may be a third color and the flange 139 may be a fourth color.

In a fifth example, the closure element 134 may have a first color, the closure element 136 may have a second color and the flanges 138, 139 may be clear (i.e., no color). If the fastening strips are occluded and viewed from the top of the fastening strips, the user may see a combined third color which is a combination of the first and second colors, or the user may see that the first and second colors are reduced in color intensity or the first and second colors are eliminated depending upon the clarity of the flanges.





As shown in Fig. 6, the fastening strips may be Uchannel fastening strips as described in U.S. Patent U-channel fastening strips include a first 4,829,641. fastening strip 230 with a first closure element 236 and a 5 second fastening strip 231 with a second closure element 234. The first closure element 236 engages the second closure element 234. The first fastening strip 230 may include a flange 263 disposed at the upper end of the first fastening strip 230 and a rib 267 disposed at the lower end of the 10 first fastening strip 230. The first fastening strip 230 may include a flange portion 269. Likewise, the second fastening strip 231 may include a flange 253 disposed at the upper end of the second fastening strip 231 and a rib 257 disposed at the lower end of the second fastening strip 231. The second fastening strip 231 may include a flange portion 259. 15 side walls 222, 223 of the plastic bag 220 may be attached to the fastening strips 230, 231 by conventional manufacturing techniques.

The second closure element 234 includes a base portion 238 having a pair of spaced-apart parallely disposed webs 240, 241, extending from the base portion 238. The base and the webs form a U-channel closure element. The webs 240, include hook closure portions 242, 244 extending from the webs 240, 241 respectively, and facing towards each other. The hook closure portions 242, 244 include guide surfaces 246, 247 which serve to guide the hook closure portions 242, 244 for occluding with the hook closure portions 252, 254 of the first closure element 236.

30

The first closure element 236 includes a base portion 248 including a pair of spaced-apart, parallely disposed webs

WO 01/94226 PCT/US00/15566

9

250, 251 extending from the base portion 248. The base and the webs form a U-channel closure element. The webs 250, 251 include hook closure portions 252, 254 extending from the webs 250, 251 respectively and facing away from each other. The hook closure portions 252, 254 include guide surfaces 245, 255, which generally serve to guide the hook closure portions 252, 254 for occlusion with the hook closure portions 242, 244 of the second closure element 234. The guide surfaces 245, 255 may also have a rounded crown surface.

The slider 232 includes a top portion 272. The top portion provides a separator 243 having a first end and a second end wherein the first end may be wider than the 15 second end. In addition, the separator 243 may be triangular in shape. When the slider is moved in the occlusion direction, the separator 243 deoccludes the fastening strips 230, 231 as shown in Fig. 6. Referring to Fig. 6, the closure elements 234, 236 are deoccluded and specifically, the upper hook portions 242, 252 and the lower hook portions 244, 254 are deoccluded.

10

The interlocking fastening strips may comprise "arrowhead-type" or "rib and groove" fastening strips as shown in Fig. 7 and as described in U.S. Patent 3,806,998. The rib element 305 interlocks with the groove element 307. The rib element 305 is of generally arrow-shape in transverse cross section including a head 310 comprising interlock shoulder hook portions 311 and 312 generally convergently related to provide a cam ridge 313 generally aligned with a stem flange 314 by which the head is connected in spaced relation with respect to the supporting flange portion 308.





(U.S. Patent 3,806,998, Col. 2, lines 16-23). At their surfaces nearest the connecting stem flange 314, the shoulder portions 311 and 312 define reentrant angles therewith providing interlock hooks engageable with interlock hook flanges 315 and 317 respectively of the groove element 307. (U.S. Patent 3,806,998, Col. 2, lines 23-28). Said hook flanges generally converge toward one another and are spread open to receive the head 310 therebetween when said head is pressed into said groove element 307 until the head is fully received in a groove 318 of said groove element 307 generally complementary to the head and within which the head is interlocked by interengagement of the head shoulder hook portions 311 and 312 and the groove hook flanges 315 and 317. (U.S. Patent 3,806,998, Col. 2, lines 28-36). Through this arrangement, as indicated, the head and groove elements 305 and 307 are adapted to be interlockingly engaged by being pressed together and to be separated when forcably pulled apart, as by means of a generally U-shaped slider 319. Patent 3,806,998, Col. 2, lines 36-41).

20

25

30

15

10

The slider 319 includes a flat back plate 320 adapted to run along free edges 321 on the upper ends of the sections of the flange portions 308 and 309 as shown in the drawing. (U.S. Patent 3,806,998, Col. 2, lines 41-46). Integrally formed with the back plate 320 and extending in the same direction (downwardly as shown) therefrom are respective coextensive side walls 322 with an intermediate spreader finger 323 extending in the same direction as the side walls at one end of the slider. (U.S. Patent 3,806,998, Col. 2, lines 46-51). The side walls 322 are in the form of panels which are laterally divergent from a narrower end of the slider. (U.S. Patent 3,806,998, Col. 2, lines 51-55). The

10



slider walls 322 are each provided with an inwardly projecting shoulder structure 324 flange adapted to engage respective shoulder ribs 325 and 327 on respectively outer sides of the lower section of the flange portions 308 and 309. (U.S. Patent 3,806,998, Col. 2, line 66 to Co. 3, line 3).

In accordance with the invention, the head 310 may be a first color and the groove element 307 may be a second color or no color. In another embodiment, the head 310 and/or the groove element 307 may be a first color and the fastening strips may include a flange or flanges as noted above which may be a second color or no color as noted above.

15 Additionally, the interlocking fastening strips may comprise "profile" fastening strips, as shown in Fig. 8 and described in U.S. Patent 5,664,299. As shown in FIG. 8, the first profile 416 has at least an uppermost closure element (U.S. Patent 416a and a bottommost closure element 416b. 5,664,299, Col. 3, lines 25-27). The closure elements 416a 20 and 416b project laterally from the inner surface of strip (U.S. Patent 5,664,299, Col. 3, lines 27-28). Likewise, the second profile 417 has at least an uppermost closure element 417a and a bottommost closure element 417b. (U.S. Patent 5,664,299, Col. 3, lines 28-30). 25 The closure elements 417a and 417b project laterally from the inner surface of strip 415. (U.S. Patent 5,664,299, Col. 3, lines 30-32). When the bag is closed, the closure elements of profile 416 interlock with the corresponding closure elements 30 of profile 417. (U.S. Patent 5,664,299, Col. 3, lines 32-34). As shown in FIG. 8, closure elements 416a, 416b, 417a and 417b have hooks on the ends of the closure elements, so





that the profiles remain interlocked when the bag is closed, thereby forming a seal. (U.S. Patent 5,664,299, Col. 3, lines 34-37).

The straddling slider 410 comprises an inverted U-5 shaped member having a top 420 for moving along the top edges of the strips 414 and 415. (U.S. Patent 5,664,299, Col. 4, The slider 410 has side walls 421 and 422 depending from the top 420. (U.S. Patent 5,664,299, Col. 4, lines 3-4). A separating leg 423 depends from the top 420 10 between the side walls 421 and 422 and is located between the uppermost closure elements 416a and 417a of profiles 416 and (U.S. Patent 5,664,299, Col. 4, lines 26-30). 417. fastening assembly includes ridges 425 on the outer surfaces of the fastening strips 414 and 415, and shoulders 421b and 15 422b on the side walls of the slider. (U.S. Patent 5,664,299, Col. 4, lines 62-65). The shoulders act as means for maintaining the slider in straddling relation with the fastening strips by grasping the lower surfaces of the ridges 425. (U.S. Patent 5,664,299, Col. 5, lines 4-7). 20

In accordance with the invention, the uppermost closure element 417a may be a first color and the first profile 416 or a portion thereof may be a second color or no color.

25

30

Also, the interlocking fastening strips may be "rolling action" fastening strips as shown in Fig. 9 and described in U.S. Patent 5,007,143. The strips 514 and 515 include profiled tracks 518 and 519 extending along the length thereof parallel to the rib and groove elements 516 and 517 and the rib and groove elements 516, 517 have complimentary cross-sectional shapes such that they are closed by pressing

WO 01/94226

13

PCT/US00/15566

the bottom of the elements together first and then rolling the elements to a closed position toward the top thereof. (U.S. Patent 5,007,143, Col. 4, line 62 to Col. 5, line 1). The rib element 516 is hook shaped and projects from the inner face of strip 514. (U.S. Patent 5,007,143, Col. 5, The groove element 517 includes a lower hooklines 1-3). shaped projection 517a and a relatively straight projection 517b which extend from the inner face of strip 515. Patent 5,007,143, Col. 5, lines 3-6). The profiled tracks 10 518 and 519 are inclined inwardly toward each other from their respective strips 514 and 515. (U.S. Patent 5,007,143, Col. 5, lines 6-8).

The straddling slider 510 comprises an inverted U-15 shaped plastic member having a back 520 for moving along the top edges of the tracks 518 and 519 with side walls 521 and 522 depending therefrom for cooperating with the tracks and extending from an opening end of the slider to a closing end. (U.S. Patent 5,007,143, Col. 5, lines 26-31). A separator finger 523 depends from the back 520 between the side walls 20 521 and 522 and is inserted between the inclined tracks 518 (U.S. Patent 5,007,143, Col. 5, lines 34-36). slider 510 has shoulders 521a and 522a projecting inwardly from the depending side walls 521 and 522 which are shaped 25 throughout the length thereof for cooperation with the depending separator finger 523 in creating the rolling action in opening and closing the reclosable interlocking rib and groove profile elements 516 and 517. (U.S. Patent 5,007,143, Col. 5, lines 43-49).



14

In accordance with the invention, the projection 517b may have a first color and the track 518 or the entire rib element 514 may have a second color or no color.

Although several interlocking fastening strip embodiments have been specifically described and illustrated herein, it will be readily appreciated by those skilled in the art that other kinds, types, or forms of fastening strips may be used without departing from the scope or spirit of the present invention.

The interlocking fastening strips may be manufactured by extrusion through a die.

The interlocking fastening strips may be formed from any suitable thermoplastic material including, for example, polyethylene, polypropylene, nylon, or the like, or from a combination thereof. Thus, resins or mixtures of resins such as high density polyethylene, medium density polyethylene, and low density polyethylene may be employed to prepare the interlocking fastening strips. For example, the fastening strips may be made from low density polyethylene.

The fastening strips may be appropriately colored using 25 a suitable colorant such as a dye or pigment.

When the fastening strips are used in a sealable bag, the fastening strips and the films that form the body of the bag may be conveniently manufactured from heat sealable material. In this way, the bag may be economically formed by using an aforementioned thermoplastic material and by heat sealing the fastening strips to the bag. For example, the



WO 01/94226 PCT/US00/15566

15

bag may be made from a mixture of high pressure, low density polyethylene and linear, low density polyethylene.

The fastening strips may be manufactured by extrusion or other known methods. For example, the closure device may be manufactured as individual fastening strips for later attachment to the bag or may be manufactured integrally with the bag.

The fastening strips can be manufactured in a variety 10 of forms to suit the intended use. The fastening strips may be integrally formed on the opposing sidewalls of the container or bag, or connected to the container by the use of any of many known methods. For example, a thermoelectric device may be applied to a film in contact with the flange 15 portion of the fastening strips or the thermoelectric device may be applied to a film in contact with the base portion of fastening strips having no flange portion, to cause a transfer of heat through the film to produce melting at the interface of the film and a flange portion or base portion of 20 the fastening strips. Suitable thermoelectric devices include heated rotary discs, traveling heater bands, resistance-heated slide wires, and the like. The connection between the film and the fastening strips may also be 25 established by the use of hot melt adhesives, hot jets of air to the interface, ultrasonic heating, or other known methods. The bonding of the fastening strips to the film stock may be carried out either before or after the film is U-folded to form the bag. In any event, such bonding is done prior to 30 side sealing the bag at the edges by conventional thermal In addition, the first and second fastening strips may be positioned on opposite sides of the film.

15

20

25



16

embodiment would be suited for wrapping an object or a collection of objects such as wires. The first and second fastening strips may be positioned on the film in a generally parallel relationship with respect to each other, although this will depend on the intended use.

The slider may be multiple parts and snapped together. In addition, the slider may be made from multiple parts and fused or welded together. The slider may also be a one piece construction. The slider can be colored, opaque, translucent or transparent. The slider may be injection molded or made by any other method. The slider may be molded from any suitable plastic material, such as, nylon, polypropylene, polystyrene, acetal, toughened acetal, polyketone, polybutylene terrephthalate, high density polyethylene, polycarbonate or ABS (acrylonitrile-butadiene-styrene).

it will the foregoing be understood modifications and variations may be effectuated to the disclosed structures - particularly in light of the foregoing teachings - without departing from the scope or spirit of the present invention. As such, no limitation with respect to the specific embodiments described and illustrated herein is intended or should be inferred. In addition, all references copending applications cited herein are hereby incorporated by reference in their entireties.

WHAT IS CLAIMED IS:

1. A closure device, comprising:

- first and second fastening strips, the fastening strips have a longitudinal X axis, a transverse Y axis and a vertical Z axis, the fastening strips are arranged to be occluded over a predetermined length in the X axis, the first fastening strip includes a first portion with a first color, the first color is not visible when viewed in the Z axis when the fastening strips are occluded.
- The invention as in claim 1 wherein the first color is visible when viewed in the Z axis when the fastening
 strips are deoccluded.
 - 3. The invention as in claim 1 wherein the second fastening strip includes a second portion with the first color.

20

- 4. The invention as in claim 1 wherein the first fastening strip includes a third portion with a second color.
- 5. The invention as in claim 1 wherein the second 25 fastening strip includes a fourth portion with a second color.
 - 6. The invention as in claim 1 wherein the first portion is a closure element.

30

7. The invention as in claim 4 wherein the third portion is a flange.



18

- 8. The invention as in claim 5 wherein the fourth portion is a flange.
- 9. The invention as in claim 1 wherein the first portion is a closure element, the second fastening strip includes a closure element with the first color, the first fastening strip includes a flange with a second color, the second fastening strip includes a flange with a second color.
- 10. The invention as in claim 9 wherein the closure elements are U-channel closure elements, the flanges are located above the closure elements, the flanges extend inward toward each other.
- 11 The invention as in claim 10 wherein the closure device includes a slider slidably disposed on the fastening strips, the slider facilitates occlusion of the fastening 20 strips.
 - 12. The invention as in claim 1 wherein the closure device includes a slider slidably disposed on the fastening strips, the slider facilitates occlusion of the fastening strips.
 - 13. A container comprising:

first and second sidewalls joined to form a compartment with an opening;

first and second fastening strips respectively connected to the first and second sidewalls at the opening,

the fastening strips have a longitudinal X axis, a transverse Y axis and a vertical Z axis, the fastening strips are arranged to be occluded over a predetermined length in the X axis, the first fastening strip includes a first portion with a first color, the first color is not visible when viewed in the Z axis when the fastening strips are occluded.

14. A method of manufacturing a closure device,10 comprising:


providing first and second fastening strips, the fastening strips have a longitudinal X axis, a transverse Y axis and a vertical Z axis, the fastening strips are arranged to be occluded over a predetermined length in the X axis,

providing the first fastening strip includes a first portion with a first color, the first color is not visible when viewed in the Z axis when the fastening strips are occluded.

15










WO 01/94226

PCT/US00/15566



3/7








•

WO 01/94226


PCT/US00/15566






PCT/US00/15566

5/7









423 420 410 421-422 414 -417a 416 -417 415 416a -417b 416b⁻ 425 425 422b 421b FIG. 8

PCT/US00/15566

7/7




FIG. 9






INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/15566

A. CLASSIFICATION OF SUBJECT MATTER			
IPC(7) : B65D 33/24			
US CL : 24/30.5R			
According to International Patent Classification (IPC) or to both national classification and IPC			
B. FIELDS SEARCHED			
Minimum documentation searched (classification system followed by classification symbols)			
U.S.: 24/30.5R,399, 400, 587, 575-577; 383/64, 69			
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched			
Theresis due has a second seco			
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)			
C. DOCUMENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where a	appropriate, of the relevant passages	Relevant to claim No.
Х	US 5,356,222 A (KETTNER et al) 18 October 1994 (18.10.1994), see figures 1-6a.		1-10,13,14
		<u>-</u>	
A			11,12
Y	US 5,140,796 A (POPE) 25 A 4 1.1992 (25.04.1992), see figure 1.		11, 12
A	US 5,248,201 A (KETTNER et al) 28 September 1993 (28.09.1993), see figure 4.		1 '
			1
Α .	US 4,829,641 A (WILLIAMS) 16 May 1989 (16.05.1989), see figure 6.		1
A	US 4,186,786 A (KIRKPATRICK) 05 February 1980 (05.02.1980), see figure 2d.		1
	•		· ,
		•	
	'		
Further documents are listed in the continuation of Box C. See patent family annex.			
Special categories of cited documents: "T" later document published after the international filing date or priority			
date and not in conflict with the application but cited to understand the			
	defining the general state of the art which is not considered to be lar relevance	principle or theory underlying the inve	DITION .
•		"X" document of particular relevance; the	
-	plication or patent published on or after the international filing date	considered novel or cannot be consider when the document is taken alone.	red to involve an inventive step
"L" document	which may throw doubts on priority claim(s) or which is cited to		
establish (specified)	the publication date of another citation or other special reason (as	"Y" document of particular relevance; the considered to involve an inventive step	
combined with one or more other such documents, such combination			
"O" document referring to an oral disclosure, use, exhibition or other means being obvious to a person skilled in the art			e art
*P" document published prior to the international filing date but later than the "&" document member of the same patent family			family
priority date claimed			
Date of the actual completion of the international search Date of mailing of the international search report			
0.9 NOV 2000			
28 August 2000 (28.08.2000)			
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Authorized officer			
Commissioner of Patents and Trademarks Box PCT James R. Brittain			
Washington, D.C. 20231			
Facsimile No. (703)305-3230 Telephone No. 703-308-1113			

Form PCT/ISA/210 (second sheet) (July 1998)



j







FIG. 2








-<u>[</u>G. 5








FIG. 9





PATENT COOPERATION TREATY

From the INTERNATIONAL SEARCHING AUTHORITY			
To: JOHN M. AUGUSTYN LEYDIG, VOIT & MAYER, LTD. TWO PRUDENTIAL PLAZA, SUITE 4900 180 NORTH STATE CONTROL OF FEB 20 CHICAGO, IL 60801-6780	PCT NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL SEARCH REPORT		
CHICAGO, 12 50601 6780	OR THE DECLARATION (PCT Rule 44.1)		
	Date of Mailing (day/month/year) 0 3 NOV 2000		
Applicant's or agent's file reference 201260	FOR FURTHER ACTION See paragraphs 1 and 4 below		
International application No. PCT/US00/15566	International filing date (day/month/year) Of June 2000 (06 06 2000)		
Applicant	06 June 2000 (06.06.2000)		
THE GLAD PRODUCTS COMPANY			
1. The applicant is hereby notified that the international search Filing of amendments and statement under Article 19: The applicant is entitled, if he so wishes, to amend the claim			
When? The time limit for filling such amendments is non international search report; however, for more de	maily 2 months from the date of transmittal of the stails, see the notes on the accompany sheet LEYDIG, VOIT & MAYER		
34, chemin des Colombettes 1211 Geneva 20, Switzerland	NOV 9 = 2000		
Facsimile No.: (41-22) 740.14.35 For more detailed instructions, see the notes on	Regueros		
2. The applicant is hereby notified that no international search r Article 17(2)(a) to that effect is transmitted herewith.			
3. With regard to the protest against payment of (an) addition	at fee(s) under Rule 40.2, the applicant is notified that:		
	transmitted to the International Bureau together with the stest and the decision thereon to the designated Offices.		
no decision has been made yet on the protest; the applic	cant will be notified as soon as a decision is made.		
4. Further action(s): The applicant is reminded of the following:			
Shortly after 18 months from the priority date, the international applicant fif the applicant wishes to avoid or postpone publication, a notice priority claim, must reach the International Bureau as provided in completion of the technical preparations for international publicat	of withdrawal of the international application, or of the a rules 90 bis 1 and 90 bis 3, respectively, before the		
Within 19 months from the priority date, a demand for international wishes to postpone the entry into the national phase until 30 months.			
Within 20 months from the priority date, the applicant must perform before all designated Offices which have not been elected in the optionity date or could not be elected because they are not bound be	demand or in a later election within 19 months from the		
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks	Authorized officer Manchender		
Box PCT	James R. Brittain		
Washington, D.C. 20231 Facsimile No. (703)305-3230 Telephone No. 703-308-1113			



PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applican 201260	t's or agent's file reference	FOR FURTHER ACTION	(Form PCT/ISA/220) as well as where applicable item 5				
		(Earliest) Priority Date (day/month/year)					
Applican THE GL	AD PRODUCTS COMPANY			·			
applicant	This international search report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau. This international search report consists of a total of						
		d by a copy of each prior art doc	ument cite	d in this report.			
1. Basi a.		the international search was carrie , unless otherwise indicated under		e basis of the international application in the			
b.	Authority (Rule 23.1(b)).	e and/or amino acid sequence dis		ne international application furnished to this			
	7	al application in written form.					
	ī	national application in computer re	eadable for	m.			
	i	nis Authority in written form.		·			
	i '	nis Authority in computer readable	form.				
	i	quently furnished written sequence		es not go beyond the disclosure in the			
	the statement that the information been furnished.	mation recorded in computer reada	ble form is	identical to the written sequence listing has			
2.	Certain claims were found	l unsearchable (See Box 1).					
3 4. Wit	Unity of invention is lacking the regard to the title,	ng (See Box II).		LEYDIG, VOIT & MAYER RECEIVED			
	the text is approved as subm	nitted by the applicant.					
	the text has been established	d by this Authority to read as follo	ws:	NOV 8 - 2000			
5. Wit	th regard to the abstract,			PAT/TM + Date 12-3-00			
	the text is approved as subr	nitted by the applicant.					
				ty as it appears in Box III. The applicant rch report, submit comments to this			
6. The	e figure of the drawings to be pu	iblished with the abstract is Figure	No. 2				
as suggested by the applicant.		None of the figures					
	because the applicant failed	l to suggest a figure.					
	because this figure better c	haracterizes the invention.					



INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/15566 -

Box III	TEXT OF THE	ABSTRACT	(Continuation of	Item 5 of	the first sheet)
---------	-------------	----------	------------------	-----------	------------------

The technical features mentioned in the abstract do not include a reference sign between parentheses (PCT Rule 8.1(d)).

NEW ABSTRACT

The closure device (121) includes interlocking fastening strips (130, 131). The closure device may include a slider (132) slidably disposed on the fastening strips for facilitating the occlusion and deocclusion of the fastening strips. The fastening strips (130, 131) include a first color for facilitating visual confirmation of occlusion of the fastening strips. The visible indication of occlusion will be observed from the top of the closure device (121). If the fastening strips are properly occluded, then the first color will not be visible by viewing the top of the closure device. The first color will be observed from the top of the closure device (121) when the bag is deoccluded.

INTERNATIONAL SEARCH REPORT

International application No.

		PCT/US00/15560	<u> </u>
A. CLAS	SSIFICATION OF SUBJECT MATTER		
IPC(7)	: B65D 33/24	•	
US CL	: 24/30.5R		
	 International Patent Classification (IPC) or to both national classificat IDS SEARCHED 	ion and IPC	
	cumentation searched (classification system followed by classification	symbols)	
U.S. : 2	4/30.5R,399, 400, 587, 575-577; 383/64, 69		
Documentati	on searched other than minimum documentation to the extent that such	documents are include	ed in the fields searched
	,		
		•	
n			
Electronic da	ata base consulted during the international search (name of data base an	d, where practicable,	search terms used)
	UMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the		Relevant to claim No.
X	US 5,356,222 A (KETTNER et al) 18 October 1994 (18.10.1994), se	e figures 1-0a.	1-10,13,14
A			11,12
	LIS S 140 706 A (DODE) 25 A G \ 1002 (25 04 1002) and 51		
Y	US 5,140,796 A (POPE) 25 A 4 1992 (25.04.1992), see figure 1.	6	11, 12
Α	US 5,248,201 A (KETTNER et al) 28 September 1993 (28.09.1993),	_	1
Α	US 4,829,641 A (WILLIAMS) 16 May 1989 (16.05.1989), see figure	2 6.	1
Α	US 4,186,786 A (KIRKPATRICK) 05 February 1980 (05.02.1980),	see figure 2d.	1
			•
-			
			·
			1
Further	r documents are listed in the continuation of Box C. See pa	tent family annex.	
• s			ternational filing date or priority
"A" document		e or theory underlying the inv	ication but cited to understand the vention
	ular relevance	nt of particular relevance: the	e claimed invention cannot be
"E" earlier ag	oplication or patent published on or after the international filing date consider	red novel or cannot be consid	lered to involve an inventive step
"L" document	which may throw doubts on priority claim(s) or which is cited to	e document is taken alone	
establish	the publicatio, date of another citation or other special reason (as "Y" docume	nt of particular relevance; the	e claimed invention cannot be
specified	combin	ed with one or more other suc	ch documents, such combination
"O" document	referring to an oral disclosure, use, exhibition or other means being o	bvious to a person skilled in t	the art
	· publicated prior to the mistagetteen thank and but the	nt member of the same paten	t family
priority o	tare claimed		
Date of the a	actual completion of the international search Date of mailing	of the international se	arch report
78 August 26	28 August 2000 (28.08.2000)		
	ailing address of the ISA/US Authorized office		1 77.
Con	numissioner of Patents and Trademarks	in Wesner	forkup-
	shington D.C. 20231	/	<i>[</i>]
I .	o. (703)305-3230	703-308-1113	

NOTES TO FORM PCT/ISA/220

These Notes are intended to give the basic instructions concerning the filing of amendments under Addicts 19. The Notes are based on the preparations of the Petent Cooperation Trusty and of the Regulations and the Adada invational under that Trusty. In case of discrepancy between these Notes and those requirements, the latter on applicable. For more deadled information, see also the RCT Applicant's Ouids, a publication of WEO.

In these News, "Articles, "Risk" and "Section" refer to the provisions of the PCT, the PCT Benefitters and the PCT
Administrative for the PCT Benefit of the PCT

INSTRUCTIONS CONCERNING ALGRIDAGINTS URDER ARTICLE 19

The applicate has, after broken motived the interestional courts report, one appearancy to amount the cistims of the interestional application. It should be receive be complemed that, above all pasts of the interestional application (defense, description and develope) may be conserted device; the interestional professionary commission properties, done in woodly associate and developed professional for the properties of the defense of the courts of the court of the cour

What parts of the international application may be essended?

The claims only,

The description and the derivings may only be amended during instructional publishing association under Cooper II.

Soft agency work is reported to the contract of the contra

When ? While Learning from the date of transmitted of the interestional pareck property or his paperty from the private date, which reprivate his accordance to the private of the constraint properties for transmitted private of the constraint properties of the constraint properti

Where not to the the emendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a domand for international position: sy examination has been a Gled, see below.

How? Either by cancelling one or more entire claims, by adding one or more new claims or by amending the test of one or more of the claims as Glod.

A replacement short must be submitted for each short of the cloims which, on account of an amendment or amendments, differs from the short originally filed.

All the claims appearing on a replacement sheet must be mumbered in Archic mumerals. Where a claim is cancelled, no remainbering of the other claims is required. In all cases where claims are remainbered, they must be summissed consecutively (Administrative Instructions, Section 205(b)).

What decrements west/may accompany the amendments?

Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confounded with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new;
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

NOTES TO FORM PCT/ISA/220 (continued)

The following examples illustrate the masser in which amendments must be explained in the accompanying letters

- a e setra gara 1. [When existinity there were 48 claims and after annulunces of sever claims there are 51]:
 Clothed 3 to 29, 71, 32, 34, 35, 37 to 48 explaced by annualed claims baseling the same comben;
 claims 30, 33 and 36 exchanges; new claims 49 to 51 added.*

 2. [Where originally these were 15 claims and after immidment of all claims there are 11]:
 Claims 1 to 15 explaced by annualed claims 1 to 11.* and the second second second
- ally these were 14 chains and the one ndments consist in concelling some claims and in adding new chine):
 "Claims 1 to 6 and 14 suchanged; claims 7 to 13 controlled; new claims 15, 16 and 17 added," or
 "Claims 7 to 13 controlled; new claims 15, 16 and 17 added; all other claims techniques."
 [Where various black of amendments are marks;

 Where various black of amendments are marks;
- has value that of emericans on make; size 1-10 exchangel; claims 11 to 12 'S and 15 consulted; claims 14, 15 and 16 septe m 14; claim 17 scholvided into emerical claims 15, 16 and 17; core claims 20 and 2 121 4

"Statement under Article 19(1)" (Ruis 46.0

The emercianess may be accompanied by a statement explaining the emercianess and indicate that such americaness might have on the description and the derivings (which cannot be as

The statement will be published with the international application and the emended claim

The statement should be beint, it should not exceed \$50 words if in English or if annalyted in

denoted with and does not replace the jump indicating the maint. It mans to find on a repeate short and must be jump the words. The words "Section 19(1)." A least of the property of the prop Al aut la au It should not be confirmed with and does not replace the justice measures; we consider the Glod on a superstanding the considering the provided on a superstanding to provide the global Confirment basis; (Action 1973).

It should not worsh very disputating comments on the interesting of contribution are the national in that report. Reference to clusticate, mirrors to a given chain, contributed in the last report carries only in connection with an executance of that claim. W 444 . 1.8 . . . man of ch

In what improves ?

The emendments must be made in the language in which the international application is published. The letter and any statement accompanying the emendments must be in the same language as the international application if that language is English or French; otherwise, it must be in English or French, at the choice of the applicant.

Consequence if a demand for international proliminary examination has already been filed?

If, at the time of filing any amendments under Article 19, a account for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the international Bureau, also file a copy of such amendments with the international Preliminary Examining Authorize (see Rule 47 2(a)) first accounts.

Consequence with regard to translation of the international application for entry into the notional phase?

The applicant's exention is drawn to the fact that, where upon entry into the astional phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/closted C'..., instead of, or

For further details on the requirements of such designated/elected Office, see Volume II of the PCT Applicant's



REQUEST

For receiving	Office use only
---------------	-----------------

International Application No.

AEQUES1	International Filing Date	•	
The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.	Name of receiving Office and "PCT International Application"		
•	Applicant's or agent's file re	eference	
	(if desired) (12 characters m	naximum) 201260	
Box No. I TITLE OF INVENTION			
CLOSURE DEVICE			
Box No. II APPLICANT			
Name and Address: (Family name followed by given name: for a legal The address must include postal code and name of country. The country of t is the applicant's State (that is, country) of residence if no State of residence THE GLAD PRODUCTS COMPANY	he address indicated in this Box	This person is also inventor. Telephone No.	
1221 Broadway		(510) 271-7000	
Oakland, California 94612		Facsimile No.	
US		(510) 271-1652	
•		Teleprinter No.	
State (that is, country) of nationality: US	State (that is, country) of res	sidence:	
This person is applicant for the purposes of: All designated All desi			
Box No. III FURTHER APPLICANT(S) AND/OR (FURTHI	ER) INVENTOR(S)		
Name and Address: (Family name followed by given name; for a legal The address must include postal code and name of country. The country of is the applicant's State (that is, country) of residence if no State of residence SAVICKI, Alan F., Sr. 577 Beaconsfield Avenue Naperville, Illinois 60565 US	he address indicated in this Box is indicated below.)	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)	
State (that is, country) of nationality: US	State (that is, country) of res US	sidence:	
This person is applicant for the purposes of: all designated States all designated States	tates except the United of America		
Further applicants and/or (further) inventors are indicated on a	continuation sheet.	·	
Box No. IV AGENT OR COMMON REPRESENTATIVE;	OR ADDRESS FOR CORRI	ESPONDENCE	
The person identified below is hereby/has been appointed to act on the applicant(s) before the competent International Authorities as:		common representative	
Name and Address: (Family name followed by given name; for a legal The address must include postal code and name of co	entity, full official designation. ountry.)	Telephone No. (312) 616-5600	
AUGUSTYN, John M.		Facsimile No.	
LEYDIG, VOIT & MAYER, LTD. Two Prudential Plaza, Suite 4900		(312) 616-5700	
180 North Stetson			
Chicago, Illinois 60601-6780 US		Teleprinter No.	
Mark this check-box where no agent or common representative indicate a special address to which correspondence should be s	is/has been appointed and the	e space above is used instead to	
E DOT/DO/101 (5-st-sh-ss) (Islan 1009) remaint Island 2000)		See Notes to the request form	

Form PCT/RO/101 (first sheet) (July 1998; reprint January 2000)

See Notes to the request form





			Sheet No.)	2	,	
Bo	x No.	V	DESIGNATION OF STATES				
Th	e-foll	owing	g designations are hereby made under Rule 4.9(a) (ma	rk the	applic	cable check-boxes; at least one must be marked):	
Re	giona	l Pat					
0	3	AP	Swaziland, TZ United Republic of Tanzania, UG Ug of the Harare Protocol and of the PCT	anda,	zw z	esotho, MW Malawi, SD Sudan, SL Sierra Leone, SZ imbabwe, and any other State which is a Contracting State	
	₫	EA	Moldova, RU Russian Federation, TJ Tajikistan, TI the Eurasian Patent Convention and of the PCT	M Tu	rkmen	us, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of istan, and any other State which is a Contracting State of	
	3	EP	Monaco, NL Netherlands, PT Portugal, SE Sweder Patent Convention and of the PCT	ted K	ingdor lany c	terland and Liechtenstein, CY Cyprus, DE Germany, DK in, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC other State which is a Contracting State of the European	
D	3	OA					
Na	tiona	l Pat	ent (if other kind of protection or treatment desired, s				
Ø			ted Arab Emirates	Ø	LK	Sri Lanka	
Ø			ania	×	LR	Liberia	
	AG	Ant	igua and Barbuda		LS	Lesotho	
_	AM	Λ	agua and Darvuda	_	LT	Lithuania	
Ø	AT	Am	nenia	☒			
	AI	Aus	tria	Ø	LU	Luxembourg	
	AU	Aus	tralia	\boxtimes	LV	Latvia	
			rbaijan	⊠ ⊠	MA	Morocco	
	BA	Bos	nia and Herzegovina		MD	Republic of Moldova	
⊠	$\mathbf{B}\mathbf{B}$	Barl	bados	\boxtimes	MG	Madagascar	
⊠	BG	Bulg	garia	\boxtimes	MK	The former Yugoslav Republic of Macedonia	
Ø	BR	Braz	zil			***************************************	
Ø	BY	Bela	arus	\boxtimes	MN	Mongolia	
\boxtimes	BZ	Beli	ze	\boxtimes	MW	Malawi	
Ø	CA	Can	ada	\boxtimes	MX	México	
	CH	and I	LI Switzerland and Liechtenstein	×	ΜZ	Mozambique	
Ø			na	$\overline{\boxtimes}$	NO	Norway ,	
×	CR	Cost	ta Rica	\boxtimes	NZ	New Zealand	
_	CII	Cuh	a	⊠	PL	Poland	
Ø	C7	Cao	ah Danublia	Ø	PT	Portugal	
X	DE	Cze	ch Republic	×	RO	Romania	
×	DE	Gen	many	×	RU	Russian Federation	
⊠	DK	Den	mark	×	SD	Sudan	
	DM	Don	ninica	×	SE	Sweden	
\boxtimes	DZ	Alge	eria	×	SG	Singapore	
\boxtimes	EE	Esto	nia	×	SI	Slovenia	
\boxtimes	ES	Spai	in		SK	Slovakia	
\boxtimes	FI	Finl	and	×	SL	Sierra Leone	
\boxtimes	GB	Unit	ted Kingdom		TJ	Tajikistan	
121	GD	Grei	nada	Z	10	I aliviami	

party to the PCT after issuance of this sheet: KR Republic of Korea KZ Kazakhstan LC Saint Lucia Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that

any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the

TM

TR \boxtimes

TZ \boxtimes

UG

US

UZ

VN Ø

YU

ZA

 \boxtimes TT

 \boxtimes UA

 \boxtimes

 \boxtimes

 \boxtimes

GM Gambia

ID

IL \boxtimes

IN \boxtimes

JP

 \boxtimes IS

 \boxtimes

Indonesia

Iceland

GE Georgia

GH Ghana

HR Croatia

HU Hungary

Israel _____

India _____

Japan _____

KE Kenya

KG Kyrgyzstan

KP Democratic People's Republic of Korea

Turkmenistan

Turkey

Trinidad and Tobago

United Republic of Tanzania

Ukraine

Uganda

United States of America

Uzbekistan

Viet Nam

Yugoslavia

South Africa

Zimbabwe

Check-boxes reserved for designating States which have become

......





Sheet No. . . . 3 . . .

Supplemental Box If the Supplemental Box is not used, this sheet need not be included in the request.

1. If, in any of the boxes, the space is insufficient to furnish all the information: in such case write "Continuation of Box No. ..." (indicate the number of the Box) and furnish the information in the same manner as required according to the captions of the Box in which the space was insufficient, in particular:

- (i) if more than two persons are involved as applicants and/or inventors and no "continuation sheet" is available: in such case, write "Continuation of Box No. III" and indicate for each additional person the same type of information as required in Box No. III. The country of the address indicated in this box is the applicant's State (that is, country) of residence if no State of residence is indicated below;
- (ii) if, in Box No. II or in any of the sub-boxes of Box No. III, the indication "the States indicated in the Supplemental Box" is checked: in such case, write "Continuation of Box No. II" or "Continuation of Box No. II and No. III" (as the case may be), indicate the name of the applicant(s) involved and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is applicant;
- (iii) if, in Box No. II or in any of the sub-boxes of Box No. III, the inventor or the inventor/applicant is not inventor for the purposes of all designated States or for the purposes of the United States of America: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the inventor(s) and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is inventor;
- (iv) if, in addition to the agent(s) indicated in Box No. IV, there are further agents: in such case, write "Continuation of Box No. IV" and indicate for each further agent the same type of information as required in Box No. IV;
- (v) if, in Box. No. V, the name of any State (or OAPI) is accompanied by the indication "patent of addition," or "certificate of addition," or, in, in Box No. V, the name of the United States of America is accompanied by an indication "continuation" or "continuation-in-part": in such case, write "Continuation of Box No. V" and the name of each State (or OAPI), and after the name of each such State (or OAPI), the number of the parent title or parent application and the date of grant of the parent title or filing of the parent application;
- (vi) if, in Box No. VI, there are more than three earlier applications whose priority is claimed: in such case., write "Continuation of Box No. VI" and indicate for each additional earlier application the same type of information as required in Box No. VI;
- (vii) if, in Box No. VI, the earlier application is an APIPO application: in such case, write "Continuation of Box No. VI", specify the number of the item corresponding to that earlier application and indicate at least one country party to the Paris Convention for the Protection of Industrial Property for which that earlier application was filed.
- 2. If, with regard to the precautionary designation statement contained in Box No. V, the applicant wishes to exclude any State(s) from the scope of that statement: in such case, write "Designation(s) excluded from precautionary designation statement" and indicate the name or two-letter code of each State so excluded.
- 3. If the applicant claims, in respect of any designated Office, the benefits of provisions of the national law concerning non-prejudicial disclosures or exceptions to lack of novelty: in such case, write "Statement concerning non-prejudicial disclosures or exceptions to lack of novelty" and furnish that statement below.

Continuation of Box No. IV:
SHEPPARD, Berton Scott
MUSKAL, James B.
SCHLEMMER, Dennis R.
COONS, Gordon R.
ROSENQUIST, John E.
KOZAK, John W.
BU
KOZAK, John JOH
BE
HARTMANN, H. Michael
AI
GAGALA, Bruce M.
MOTTIER, Charles H.
KILYK, John, Jr.
GREEN, Robert F.
CONKLIN, John B.
ZALEWA, James D.
BELZ, John M.
HESTERBERG, Brett A.
WYAND, Jeffrey A.
KORNICZKY, Paul J.

IV:
RUSCHAU, Pamela J.
PETERSEN, Steven P.
GRIFFITH, Christopher T.
MUELLER, Wesley O.
JAY, Jeremy M.
BURGAN, Jeffrey B.
THOMPSON, Eley O.
JOY, Mark
AIRAN, David M.
BELUSH, Thomas A.
HOOVER, Allen E.
PILLAI, Xavier
CHANG, Y. Kurt
BAYS, Gregory C.
LARCHER, Carol
SKLAR, Steven H.
HEFNER, M. Daniel

SPINA, Kenneth P.
GUTMAN, Siegmund Y.
HEINISCH, Andrew J.
MAKEEVER, Jeffery J.
HASAN, Salim A.
WULFF, Richard A.
PIPPENGER, Phillip M.
LYNCH, Jamison E.
VASILJEVIC, Vladan M.
NATH, Rattan
GOULD, Robert M.
SMITH, Len S.
WINGATE, Kevin L.
SCHODIN, David J.
KISSLING, Heather R.
AHERN, Paul L.
ANDERSON, Theodore W.
SMITH, Noel I.

all of LEYDIG, VOIT & MAYER, LTD. Two Prudential Plaza, Suite 4900 180 North Stetson Chicago, Illinois 60601-6780 US (312) 616-5600 Telephone (312) 616-5700 Fax





Sheet No. ...4 ...

Box No. VI PRIORI	Box No. VI PRIORITY CLAIM Further priority claims are indicated in the Supplemental Box.			
Filing date			n is:	
of earlier application	of earlier application	national application: regional application:	* international application:	
(day/month/year)		country regional Office	receiving Office	
item (1)				
item (2)	·			
item (3)				
of the earlier applic purposes of the pre Where the earlier applica	cation(s) (only if the earlier sent international applicat tion is an ARIPO application	Ind transmit to the International Bureau a certified coperation was filed with the Office for which for the community of the receiving Office) identified above as item(solution), it is mandatory to indicate in the Supplemental Box at the community of the commun	ne): east one country party to the Paris	
	ATIONAL SEARCHING			
(ISA) (If two or mor	al Searching Authority re International Searching o carry out the international	Request to use results of earlier search; refere search has been carried out or requested from the Intern	nce to that search (if an earlier actional Searching Authority):	
search, indicate the Authority may be used):	ty chosen; the two-letter code	Date (day/month/year) Number	Country (or regional Office)	
ISA /	US			
Box No. VIII CHECK	LIST; LANGUAGE OF	FILING		
This international applicate the following number of		ational application is accompanied by the item(s) ma	rked below:	
request :	4 1. 🛛 fe	e calculation sheet		
description (excluding		parate signed power of attorney		
sequence listing part) :	_ 1 . —	opy of general power of attorney; reference number, i	f any:	
claims : 3 4. statement explaining lack of signature				
abstract : 1 5. priority document(s) identified in Box No. VI as item(s):				
drawings : 7 6. translation of international application into (language):				
sequence listing part of 7. separate indications concerning deposited microorganisms or other biological material				
description : 8 nucleotide and/or amino acid sequence listing in computer readable form total number of sheets: 31 9 other (specify):				
total number of sheets:		ther (specify):		
Figure of the drawings should accompany the ab		Language of filing of the international application: English		
Box No. IX SIGNAT	URE OF APPLICANT O	R AGENT		
Next to each signature, indicate t	the name of the person signing and	the capacity in which the person signs (if such capacity is not obvio	us from reading the request).	
		VOIT & MAYER, LTD. or the Applicant(s)		
	_			
	Bre	augustine		
	By: John M	Augustyn		
-	· · · · · · · · · · · · · · · · · · ·	For receiving Office use only	 -	
Date of actual receipt international application			2. Drawings:	
Corrected date of actu- timely received papers the purported internation	s or drawings completing		received:	
Date of timely receipt corrections under PCT			not received:	
International Searchin specified by applicant		6. Transmittal of search copy delayed until search fee is paid.	i	
		For International Bureau use only		
Date of receipt of the reco				
Form PCT/PO/101 (lost	sheet) (July 1998: reprint I	2000)	See Notes to the request form	





This sheet is not part of and does not count as a sheet of the international application.

PCT For receiving Office use only FEE CALCULATION SHEET Annex to the Request International Application No. Applicant's or agent's 201260 file reference Date stamp of the receiving Office Applicant THE GLAD PRODUCTS COMPANY et al. **CALCULATION OF PRESCRIBED FEES** TRANSMITTAL FEE \$240.00 2. SEARCH FEE \$700.00 International Search to be carried out by (If two or more international Searching Authorities are competent in relation to the international application, indicate the name of the Authority which is chosen to carry out the international search.) INTERNATIONAL FEE **Basic Fee** The international application contains 31 sheets. first 30 sheets \$427..00 \$10.00 \$10.00 **b**₂ additional amount remaining sheets Add amounts entered at b1 and b2 and enter total at B \$437.00 **Designation Fees** The international application contains 87 designations. \$92.00 \$736.00 number of designation fees amount of designation fee payable (maximum 8) Add amounts at B and D and enter total amount at I \$1,173.00 (Applicants from certain states are entitled to a reduction of 75% of the international fee. Where the applicant is (or all applicants are) so entitled, the total to be entered at I is 25% of the sum of the amounts entered at B and D.) FEE FOR PRIORITY DOCUMENT (if applicable) 0 P TOTAL FEES PAYABLE Add amounts entered at T, S, I and P, and enter total in the TOTAL box \$2,113.00 TOTAL The designation fees are not paid at this time. MODE OF PAYMENT authorization to charge bank draft Coupons deposit account (see below) cash other (specify): cheque postal money order revenue stamps DEPOSIT ACCOUNT AUTHORIZATION (this mode of payment may not be available at all receiving Offices) The RO/ US is hereby authorized to charge the total fees indicated above to my deposit account. (this box may be marked only if the conditions for deposit accounts of the receiving Office so permit) is hereby authorized to charge any deficiency or credit any overpayment in the total fees indicated above to my deposit account. is hereby authorized to charge the fee for preparation and transmittal of the priority document to the International Bureau of WIPO to my deposit account. 06/06/2000

Date (day/month/year)

12-1216
Deposit Account Number

Signature

PCT

GENERAL POWER OF ATTORNEY

(for several international applications filed under the Patent Cooperation Treaty)

(PCT Rule 90.5)

The undersigned person(s) (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)
THE GLAD PRODUCTS COMPANY 1221 Broadway Oakland, California 94612
hereby appoints (appoint) the following person as: agent common representative
Name and address (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)
SHEPPARD, Berton Scott; MUSKAL, James B; SCHLEMMER, Dennis R.; COONS, Gordon R.; ROSENQUIST, John E.; KOZAK, John W.; OSLAKOVIC, Charles S.; PHELPS, Mark E.; HARTMANN, H Michael; GAGALA, Bruce M.; MOTTIER, Charles H.; KILYK, John, Jr.; GREEN, Robert F.; CONKLIN, John B.; ZALEWA, James D.; BELZ, John M.; HESTERBERG, Brett A.; WYAND, Jeffrey A.; KORNICZKY, Paul J.; RUSCHAU, Pamela J.; PETERSEN, Steven P.; AUGUSTYN, John M.; GRIFFITH, Christopher T.; MUELLER, Wesley O.; JAY, Jeremy M.; BURGAN, Jeffrey B.; THOMPSON, Eley O.; JOY, Mark; HOOVER, Allen E.; AIRAN, David M.; PILLAI, Xavier, CHANG, Y. Kurt; BAYS, Gregory C.; LARCHER, Carol; MILLER, Thomas A.; SKLAR, Steven H.; HUNT, Gregory A.; HEFNER, M. Daniel; MATTHIAS, Brent E.; JEWIK, Patrick R.; BELUSH, Thomas A.; JAROSIK, Gary R.; OSTROFF, Joseph S.; MAKEEVER, Jeffery J.; HASAN, Salim A.; SCHODIN, David J.; AHERN, Paul L.; ANDERSON, Theodore W.; SMITH, Noel I., all of
LEYDIG, VOIT & MAYER, Ltd., Two Prudential Plaza, Suite 4900, Chicago, Illinois 60601-6780, US
to represent the undersigned before all the competent International Authorities
the International Searching Authority only
the International Preliminary Examining Authority only
in connection with any and all international applications filed with the following Office, United States Patent and Trademark Office, as receiving Office and to make or receive payment on behalf of the undersigned.
Signature of the applicant(s) (where there are several applicants, each of them must sign; next to each signature, indicate the name of the person signing and the capacity in which the person signs, if such capacity is not obvious from reading this power):
Thomas W. Huckaby Assistant Secretary Representative of the Applicant Date: July 16, 1999

(PCT Rule 90.5)

The undersigned person(s) (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)
SAVICKI, Alan F., Sr. 577 Beaconsfield Avenue Naperville, Illinois 60565 US
hereby appoints (appoint) the following person as: agent common representative
Name and address (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)
SHEPPARD, Berton Scott; MUSKAL, James B.; SCHLEMMER, Dennis R.; COONS, Gordon R.; ROSENQUIST, John E.; KOZAK, John W.; OSLAKOVIC, Charles S.; PHELPS, Mark E.; HARTMANN, H. Michael; GAGALA, Bruce M.; MOTTIER, Charles H.; KILYK, John, Jr.; GREEN, Robert F.; CONKLIN, John B.; ZALEWA, James D.; BELZ, John M.; HESTERBERG, Brett A.; WYAND, Jeffrey A.; KORNICZKY, Paul J.; RUSCHAU, Pamela J.; PETERSEN, Steven P.; AUGUSTYN, John M.; GRIFFITH, Christopher T.; MUELLER, Wesley O.; JAY, Jeremy M.; BURGAN, Jeffrey B.; THOMPSON, Eley O.; JOY, Mark; HOOVER, Allen E.; AIRAN, David M.; PILLAI, Xavier; CHANG, Y. Kurt; BAYS, Gregory C.; LARCHER, Carol; SKLAR, Steven H.; HEFNER, M. Daniel; BELUSH, Thomas A.; SPINA, Kenneth P.; GUTMAN, Siegmund Y.; HEINISCH, Andrew J.; MAKEEVER, Jeffery J.; HASAN, Salim A.; WULFF, Richard A.; PIPPENGER, Phillip M.; LYNCH, Jamison E.; VASILJEVIC, Vladan M.; NATH, Rattan; GOULD, Robert M.; SMITH, Len S.; WINGATE, Kevin L.; SCHODIN, David J.; KISSLING, Heather R.; AHERN, Paul L.; ANDERSON, Theodore W.; and SMITH, Noel I., all of
LEYDIG, VOIT & MAYER, Ltd., Two Prudential Plaza, Suite 4900, Chicago, Illinois 60601-6780, US
to represent the undersigned before
the International Searching Authority only
the International Preliminary Examining Authority only
in connection with any and all international applications filed with the following Office, United States Patent and Trademark Office, as receiving Office and to make or receive payment on behalf of the undersigned.
Signature of the applicant(s) (where there are several applicants, each of them must sign; next to each signature, indicate the name of the person signing and the capacity in which the person signs, if such capacity is not obvious from reading this power):
Alan F. Savicki, Sr. Date: 5/18/00